



# Sunny-GII

Dispensing Pump & Dispenser PAT.PEND.



Highly reliable popular dispenser  
equipped with global-standard components


# Sunny-GII

Dispensing Pump & Dispenser GENERATION PAT.PEND.



- Meets OIML standards and achieving optimum balance of excellent performance economically
- Compact body fits into narrow spaces

Equipped with reliable,  
high-precision  
Tatsuno pump/meter





- Long-lasting, A fine display uses high-visibility bright red LED backlight

\$	30.00	THIS SALE	20.00	\$
	20.27	LITERS	148.2	
\$	148	PRICE / LITER	1.35	\$

- Large, easy-to-read characters and compact layout
- Supports up to 5-digit unit price and 7-digit money amount & volume

- Standard-equipped with user-friendly preset keypad



- Secure, password-protected registration

- Standard-equipped with over-voltage protector (OVP) to protect electrical device from high voltage

- Supported by full range of options

- Non-resettable electromagnetic totalizer
- Emergency stop switch ● POS interface (RS-485)
- Sight glass ● Double swivel ● Safety coupling
- Emergency shut-off valve ● Full range of nozzle options ● Reusable filter
- High-speed: 70 L/min Maximum speed: 80 L/min ● Top gallery panel





## Types

2222




1222



1111



## Dimensions



## Specifications

<b>Delivery Speed</b>	Standard speed (Gasoline/Diesel) : 40 L/min High speed (Diesel) : 60~70 L/min ※Manual drive is not provided ※Delivery speed is fluctuate by installed components (Suction Type) ※Delivery speed is fluctuate by STP and installed components (Submersible Type)
<b>Suction Head (Suction Type)</b>	4 m (Gasoline Column)
<b>Measuring Accuracy</b>	+/- 2.5/1000
<b>Display Type</b>	Micro-computer type electric counter at non-hazardous area
<b>Price and Volume Indication</b>	Price : 7 digits 0.01~ 9,999.99 Volume : 7 digits 0.01~ 9,999.99 Unit Price : 5 digits 0.01~ 99.99 ※Decimal places is possible to change according to each local specification.
<b>Size of Display Character</b>	Price Readout : 30H x 120W mm Volume Readout : 30H x 120W mm Unit Price Readout : 24H x 98W mm
<b>Color of Display Character</b>	Black characters with LED backlight. (LCD)
<b>Reset</b>	Automatic Reset
<b>Totalizer</b>	Electronic : 10 digits 99 999 999.99 Liters (Displayed on counter)
<b>Daily Totalizer</b>	Electronic : 10 digits 99 999 999.99 Liters (Displayed on counter)
<b>Keypad</b>	Volume and amount preset can be set up from dispenser. Numeric key only
<b>Over Voltage Protector</b>	Standard support
<b>Self-Diagnosis</b>	Standard support
<b>Initial-setting Method</b>	By using keypad
<b>Pulser</b>	0.01 L/pulse
<b>Pump (Suction Type)</b>	Internal Silent Gear Pump with air separator, by-pass valves, suction strainer and check valves
<b>Meter</b>	4-Piston Type Positive Displacement Meter with micro-minute adjuster for manual calibration
<b>Flow Control Valve</b>	Solenoid Valve
<b>Motor (Suction Type)</b>	Explosionproof, Continuous duty motor with over load Protection 3-Phase 1 HP (380 V) 1-Phase 1 HP (220 to 240 V)
<b>Filter (Submersible Type)</b>	Paper filter
<b>Hose</b>	3/4" x 15 ft
<b>Nozzle</b>	3/4" Automatic stop nozzle
<b>Swivel</b>	Single Swivel

Note : The delivery speed of the pump may change due to the following conditions if it is used beyond Tatsuno's installation and operational instructions :

- 1) Size and length of hose
- 2) Size and type of nozzle/swivel
- 3) Oil products, suction condition, and local piping conditions

Specifications are subject to change with or without prior notice.



บริษัท ทัทซุโน เอ็นจิเนียริง แอนด์ เซอร์วิส จำกัด  
TATSUNO Engineering & Service Co., Ltd.  
19/79 หมู่ 18 ต.สุทนต์ อ.ลำลูกกา จ.ปทุมธานี 12130  
19/79 Mu 18, Sukot, Lam Lukka, Pathumthani, Thailand 12130  
TEL. (662) 532-0987, 531-8928, 995-9528  
Fax : 995-9529 E-mail : sales@tatsuno.co.th  
www.tatsuno.co.th



## TATSUNO CORPORATION

International Marketing Dept.  
Head office: 12-13, Shibaura 2-chome, Minato-ku, Tokyo 108-8520, Japan  
Telephone: +81-050-9000-0555 Fax: +81-03-3452-6082  
Yokohama plant : 200, Iijima-cho, Sakae-ku, Yokohama 244-8501, Japan

