

PIUSI



**THE FUEL MANAGEMENT SYSTEM
SIMPLE, INTUITIVE, SMART**



BE SMART AND **JOIN** THE NEW ERA **OF FUEL** MANAGEMENT **TOO!**

PIUSI B.SMART by name and by nature! An **intuitive and simple Fuel Management System** – consisting of hardware and software (an APP for drivers and a Cloud web APP for managers) and based on **Bluetooth** technology – to easily monitor and manage any fleet; from the smallest to the largest.

**Are you ready
for the future?**



PIUSI B.SMART:

MONITOR AND MANAGE REFUELING



1

PLANT MANAGEMENT

Configure, activate and monitor the plant.

2


CHECK REFUELING

Check all transactions at a glance carried out.

3

IN REAL TIME

Receive all **information** from your plant immediately*.



*In real time only in areas with mobile network or Wi-Fi coverage. Otherwise, the data will be synchronized as soon as the network is available again.


ONE SOFTWARE, MANY DISPENSERS: SUITABLE FOR FLEETS OF ANY SIZE

piusi.com


→ Example A Installation at a single site with a single dispenser

PIUSI B.SMART is a unique **expandable** system: the plant manager will only need to focus on the necessary dispensers; the software is **always included** “in the package” and is **suitable for fleets of all sizes**; from the smallest to the largest, for one or more sites.

The PIUSI B.SMART software is **Cloud-based**, this means that no installation on PC is required. This way the manager will be able to **keep their own system** and monitor the fuel transactions **wherever they are**.



→ Example B Multi-site installations with multiple dispensers



YOUR SYSTEM

FUEL MANAGEMENT

piusi.com

page 16

**CUBE AC/DC
B.SMART**



page 17

**Self Service
AdBlue® B.SMART**



Switch from an MC system to B.SMART with the UPGRADE KIT (p. 25)



**Web app
B.SMART**

page 11-13



**Self Service
B.SMART**


page 17

The complete B.SMART range: a hardware system with integrated software, fully managed in the Cloud.



📖 page 21

**Piusi 3000
Supreme B.SMART**




🔴 Version
double pump




**MCBOX AC/DC
B.SMART**

📖 page 17



**MCBOX AC/DC
B.SMART**

📖 page 20



**App
B.SMART**

📖 page 8-10

PIUSI B.SMART

SIMPLE AS ONE CLICK

COMPLETE THE INFORMATION

The APP for drivers works simply with a smart device equipped with Bluetooth: **once the APP is opened, the smartphone or tablet immediately connects to the dispenser to start refueling.**

DISTRIBUTOR

Select the dispenser

VEHICLE

Select the vehicle or enter the number of the license plate

ODOMETER

Insert the mileage

1

2

3

REFUELING



PRESET/FULL

Choose between the preset option or full based on needs

TOTAL

Check the total amount dispensed on the smartphone or on the dispenser

RECEIPT

Once dispensing is completed, a receipt is automatically displayed on the device (and sent in real time* to the Web APP Manager)

4

5

6

* In real time only in areas with mobile network or Wi-Fi coverage. Otherwise, the data will be synchronized as soon as the network is available again.

PIUSI B.SMART:

ADVANTAGES FOR THE DRIVER

piusi.com

Available on:



➔ The PIUSI B.SMART system has been specifically developed to **support and simplify all refueling operations** both for drivers, and for managers:

- It only requires a **smart device** to operate properly; **no driver keys are needed**
- Works with all **iOS** and **Android** devices
- The B.SMART APP is available on **APPLESTORE** or **PLAYSTORE**; easy to find and free
- The system works via **Bluetooth**; for this reason it also works without network*
- If necessary, the system can work with the **driver key (optional)**

* Requires prior user authentication via internet. Transactions will be transferred when the network is available again.



ADVANTAGES FOR THE MANAGER



➔ PIUSI B.SMART is a Fuel Management System that uses **Cloud technology** for the software and the network (Wi-Fi, LAN or mobile) for fleet control and management:

- **No need to install any software** (Cloud-based)
- **The same software** is suitable for all fleets
- Simple and ready to use, it allows you to **reduce time** and **costs**
- **Expandable** and suitable for fleets of all sizes
- Real-time **feedback*** from the system

API

Connect your management system to B.SMART with the integrated API interface.

*In real time only in areas with mobile network or Wi-Fi coverage. Otherwise, the data will be synchronized as soon as the network is available again.

SYSTEM MANAGEMENT

piusi.com

CONFIGURE, ACTIVATE AND MONITOR YOUR SYSTEM

CONFIGURE

Create your system, configure the dispensers and enable the drivers.

MANAGE

Add or delete the system, the devices and the users.

VERIFY

All transactions at a glance.



PIUSI B.SMART allows you to enter all the parameters useful for the **proper management of the system**: sites, device names, drivers, categories and vehicles:

- **Simple installation**
- **Unique code** to identify each system
- **Detailed icons** to identify individual dispensers for a complete overview of installed devices
- **Avatar** to identify each driver



CHECK REFUELING

ALL TRANSACTIONS AT A GLANCE



➔ PIUSI B.SMART allows you to **keep track of all transactions** and completed refueling. A simple and immediate interface allows you to **group** and **filter** all information for a real-time overview:

- **Check** and **monitor** transactions
- **Receive** and download the related receipts
- **Export** data in .pdf or .xlsx



EXPORT

Download the data in your preferred format.

IN REAL TIME:


piusi.com

RECEIVE ALL INFORMATION FROM YOUR SYSTEM

➔ Among the strengths of PIUSI B.SMART, the **real-time function** that allows you to track all transactions immediately*:


UPDATE

Update the information and data in real time*.



Receive a receipt for the transaction once completed*.

RECEIVE



MONITOR

Monitor and receive all information in every situation and condition*.

* In real time only in areas with mobile network or Wi-Fi coverage. Otherwise, the data will be synchronized as soon as the network is available again.

PIUSI B.SMART:

ALL-IN-ONE FUEL MANAGEMENT SYSTEM



Unlimited; to adapt
to every fleet.

DISPENSERS



The system works via
Bluetooth, **no connection is
required**
LAN or Wi-Fi.

BLUETOOTH

 **B.SMART**



One solution for everything. The
same
software for fleets of all sizes.

A SINGLE SOLUTION



+



hardware + Software

*The software is always included
with the chosen dispenser!*



No subscription fee
for periodic rental.

NO FEES

HARDWARE FOR PIUSI B.SMART

piusi.com

CUBE B.SMART

Cube B.SMART is the **advanced version** of the better-known Cube by PIUSI.



FEATURES MAIN:

- Flow rate up to 90 l/min
- Accuracy: +/- 0,5%
- Noise level < 75 dB

Optional pedestal

AC/DC version

UPGRADE KIT
CUBE MC available

SELF SERVICE B.SMART

A complete device suited to all needs of diesel dispensing.



FEATURES MAIN:


- Flow rate up to 90 l/min
- Accuracy: +/- 0,5%
- Noise level < 75 dB
- Water filter CAPTOR integrated PIUSI
- Nozzle contact integrated

UPGRADE KIT
SELF SERVICE MC available

➔ PIUSI B.SMART works only with **the specific range of dispensers**.

- **Maximum technical performance and reliability**, all from a single supplier
- **Real-time communication** between the dispenser and the PC
- **Made in Italy**; PIUSI guaranteed quality

Enter the era of the SMART Fuel Management System **simply by upgrading your MC dispensers with the NEW UPGRADE KIT** and change the way you manage your fleet.



SELF SERVICE AdBlue® B.SMART

Dispenser specifically developed for **AdBlue®**.



FEATURES MAIN:

- Flow rate up to 32 l/min
- Accuracy: +/- 1%
- Noise level < 75 dB
- PIUSI AdBlue® filter INTEGRATED 3D
- Automatic nozzle SB325_X

UPGRADE KIT
SELF SERVICE MC AdBlue® available

MCBOX B.SMART

MC B.SMART control panel.
Can be used with already existing devices.



CAN CONTROL ANY:

- Pump
- Pulse flow meter
- Nozzle contact

Up to 2 PUMPS

AC/DC version

SELF SERVICE HD B.SMART

Heavy-duty **dispenser** with **integrated B.SMART digital fuel management.**



FEATURES MAIN:

- Heavy-duty dispenser-duty for fleets
- Fuel management integrated B.SMART
- Monitoring real-time consumption
- Flow rate up to 110 l/min
- Compatible with Diesel, Biodiesel B100, HVO/XTL

DC version

PIUSI 3000 SUPREME B.SMART

Diesel pump **smart**, controllable via smartphone and **integrable with B.SMART.**



FEATURES MAIN:

- Flow rate up to 50 l/min
- Continuous operation 12V–24V
- Measurement accuracy ±0.5%
- IP55 protection
- Multi-pump management via B.SMART


DC version

APPLICATIONS

piusi.com

OF THE B.SMART RANGE

↘ **CUBE B.SMART DC**
↘ **MCBOX B.SMART DC**



B.

→ With the DC versions of CUBE B.SMART DC and MCBOX B.SMART DC you can install the dispensers anywhere

The B.SMART range is flexible and adapts to all applications: AC or DC versions and new upgrades to meet the most demanding market requirements. Unique in its kind, it is a system that represents a turning point in the FMS sector; all from a single supplier.

➔ **MCBOX** B.SMART DOUBLE PUMP



➔ Today, MCBOX B.SMART can control up to 2 pumps, guaranteeing the same high-level performance.

OF THE B.SMART RANGE

↘ SELF SERVICE HD B.SMART

Available in the following versions:

- 80 l/min with 1 nozzle - 40/110 l/min with 2 nozzles

FEATURES:

- LCD display and electromechanical totalizer
- Integrated B.SMART management system
- Cloud software included
- 50 users included
- Access via App and Web App
- Stainless steel inlet and outlet filter, easy to clean
- MID 1383 certification
- ATEX II 2G IIA T3 EN 13617-1 certification



**CLOUD
BASED**



The **Piusi Self Service HD Bsmart** version combines the robustness of the industrial Self Service HD mechanical structure with the **integrated B.SMART system for complete** consumption control.

PIUSI 3000 SUPREME B.SMART

FEATURES

- Voltage between 12 and 24v*
- Bluetooth connection
- Total control via app
- Vibration resistant
- Silent
- Compatible with diesel up to b20 - hvo/xtl
- Max pressure 1.5 bar
- Ip55

➔ PIUSI 3000 SUPREME is a transfer pump with integrated control capable of assisting users quickly and safely in refueling diesel from mobile tanks.

B.SMART ADDITIONAL FUNCTIONS

piusi.com

ADD-ONS TANK WATCHDOG

The TANK WATCHDOG by B.SMART is the perfect ADD-ON for **complete and always up-to-date control** of the fuel stock. It allows you to:



TANK WATCHDOG

TANK LEVELS

By adding the OCIO level indicator, the system allows you to **monitor the fuel level in the tank in real time** and **give an alarm in case of malfunction** or low level. A perfect ADD-ON for up-to-date control of the entire stock.

You can also connect any other level probe 420 mA or 0-10 V or use the system without any probe **thanks to the "virtual tank" option**.

It allows you to:

- **Set alarm levels** and receive notifications
- **Configure alarms** for high or low levels
- **Stop the pump** based on the fluid level
- **Automatically notify by email** when the alarm level is reached

B.SMART ADDITIONAL FUNCTIONS



ADD-ONS TANK WATCHDOG


- **Monitor** the tank level
(add loads, unloads, and adjustments)
- **Set level alarms**
- **Manage supplies**
- **Track inventory costs** and trends
- **Access and download** reports from anywhere.

➔ 2

TANK WATCHDOG PRICE TRENDS

IT IS always possible to have the value and quantity of the fluid in the tank at your fingertips: you can **set the refueling price and thus check the current value**. It allows you to:

- **Manage suppliers** by tracking the date, price, and quantity purchased
- **Have real-time data** on the value of your stock
- **Track fluid and price trends**
- **Access and download reports** from any device connected to the internet thanks to the Cloud software



FUEL ECONOMY ADD-ON

Enhance your system and become even SMARTER with the **FUEL ECONOMY ADD-ON** for B.SMART! Thanks to this new module, it is now possible to **fully manage and increase the profitability of your fleet**:



FUEL ECONOMY

Fleet management and limits

By choosing this add-on you can:

- **Add** in the B.SMART WEB APP all the **vehicles of the fleet**
- **Group vehicles** by customizing the criteria for saving
- Add in the B.SMART WEB APP the images of vehicles and drivers for a **faster and more immediate identification**
- **Set limits for drivers and vehicles** both by quantity and by time



IDENTIFICATION WITH QR CODE

The QR code allows you to **immediately identify 100% of all fleet vehicles**, saving time during refueling operations and reducing the risk of human error.



The label is designed to **FIT PERFECTLY ON ALL VEHICLES** and can be placed near the tank. The extra-strong adhesive and scratch-resistant laser engraving ensure maximum durability over time.

B.SMART ADDITIONAL FUNCTIONS



FUEL ECONOMY ADD-ON

→ 2

FUEL ECONOMY CONSUMPTION REPORT

With this new add-on, it is now possible to obtain detailed reports:

- Dispensing of **fuel/AdBlue®**
- **Vehicle consumption**, highlighting anomalies vs standard
- **Vehicle consumption per driver**, tracking the behavior of each individual operator's driving
- **Identify high consumption by drivers**
- Add all refueling carried out externally, also highlighting the costs of fuel/AdBlue® and the service stations where the operations were carried out to have **an overall view of all vehicle and driver trends/activities**

IDENTIFY

Identify consumption that is non-standard for both vehicles and drivers.



B.SMART ADDITIONAL FUNCTIONS

piusi.com


MAPLY ADD-ON

➔ The MAPLY ADD-ON has been developed specifically for companies operating in the construction, mining, excavation, drilling, landscaping, or agriculture sectors and who want to have all information at a glance, including the GPS location of fuel dispensing:

- **Reduce fuel waste**
- **Increase company profitability**
- **Monitor and control fuel dispensing**

➔ 1 **MAPLY** **Geolocation**

- **Geolocate refueling and display them on the map**
- **"Map report"** offers an overview of dispensing of fuel. By clicking on a fuel transaction you get all relevant data (quantity, date, time, vehicle refueled, etc.).




MAPLY

→ 2 Transfers from fixed to mobile tanks

- Thanks to the MAPLY add-on module, it is now possible to carry out transfers from a fixed tank to a mobile tank.
- Information on fuel transfers will be managed in the B. reporting system. Smart, allowing greater efficiency in data management.

Possibility to group fuel dispensing in defined areas (work areas) such as construction sites, mines, or plots of land, and the ability to limit the dispenser's area of use through Geo-Fencing.


Grouping dispensing



MAPLY

→ 3 Refueling third-party vehicles

- **Tracking** of refueling also for **third-party vehicles**;
- sending an **email notification** and an operator note.



The B.SMART Maply add-on works with both AC and DC dispensers and with our pump PIUSI SUPREME once updated to B.SMART

B.SMART ADDITIONAL FUNCTIONS

piusi.com

IdentiTank

➔ **IdentiTank is an advanced and wireless RFID system, developed to ensure safe, efficient, and always traceable refueling.** Its operation is based on the automatic control of the match between dispenser and tank, allowing fuel release only when the connection is correct.

IDENTITANK

MAIN ADVANTAGES

- **Active safety:** fuel is dispensed only when the dispenser and the vehicle's RFID are paired.
- **Automatic stop:** if the pairing is interrupted, the fuel flow stops within a few seconds.
- **Instant authentication:** each refueling is authorized via B.SMART.
- **Total traceability:** all operations are recorded in real time and are available in B.SMART reports.



IDENTITANK

FUEL CHECK

- **Nozzle with RFID reader:** quick installation and automatic detection.
- **Wireless controller:** superior signal stability and extended range thanks to the external antenna
- **RFID tags:** durable, tamper-proof, and compatible with all tanks.

➔ Take full control of your fuel, improve your efficiency, and ensure the safety of your assets. **Choose IdentiTank**


B.SMART ADDITIONAL FUNCTIONS



IDENTITANK

IDENTITANK MAIN TECHNICAL FEATURES

- **B.SMART integration:** no need to install or configure additional software. IdentiTank works directly in the B.SMART apps and web apps you already use.
- **Built to last:** the system is designed to withstand industrial conditions and harsh outdoor environments.
- **Reliable power supply:** the dispensing nozzle is equipped with a long-lasting battery with low-level warning.
- **Effortless connectivity:** once connected to B.SMART, no additional wireless unit configuration is required.



B.SMART ADDITIONAL FUNCTIONS

piusi.com


MASTERSITE

➔ **B.Smart MasterSite** is the intelligent management ecosystem designed to turn the complexity of tank rental into a **streamlined and automated workflow**. Allows fuel rental and distribution companies to maximize asset profitability by reducing downtime for maintenance and streamlining field operations.

MASTERSITE

FEATURES

- Multi-site tank management
- Fuel monitoring system for rental tanks
- Multi-user management
- Flexible add-on activation
- Independent customer sections
- Quick reset of control units
- Simplified mechanical pump test
- Quick tank – contract association



Discover how **B.Smart MasterSite** can optimize your fleet management with a powerful fuel tank monitoring system.


B.SMART ADDITIONAL FUNCTIONS



MASTERSITE

How does MASTERSITE help you simplify management?

**FOR THOSE WHO MANAGE
THE RENTAL CONTRACTS**



**Less complexity
operational**

Open contracts with your customers **in a simple** and completely secure way


**FOR THOSE WHO MANAGE
THE RENTAL LOGISTICS**



**Maximum
flexibility**

When the tanks return, quickly perform the **reset** of the **B.SMART pump** in a simple and guided way.

**FOR THOSE WHO USE THE
RENTAL SERVICE**



More convenience

Dispense and use B.SMART directly with your tank, in a practical and efficient way.

PRODUCT RANGE

PIUSI B.SMART **includes a wide range of dispensers**

suited to different needs in terms of flow rate, voltage, and technical specifications.

MINIMUM SYSTEM REQUIREMENTS

Smart device: **iOS** starting from version 10
or **Android** starting from version 4.4

Code	Description	Fluids	Flow rate		Absorption		
			L/min	GPM	AC V/Hz	Power W	A max.
 AC VERSION	 F00599000 MCBOX B.SMART • 10 DRIVERS	Any	/	/	100/240	5	15 A
	 F00599200 MCBOX B.SMART 2 PUMPS • 10 DRIVERS	Any	/	/	230/50	5	15 A
 DC VERSION	 F00599150 MCBOX B.SMART 12V/24V • 10 DRIVERS	Any	/	/	12/24	5	50/25 A

Code	Description	Fluids	Flow rate		Absorption		
			L/min	GPM	AC V/Hz	Power W	A max.
	 F00748010 SELF SERVICE 70 B.SMART • 10 DRIVERS	D	70	18	230/50	900	4.2 A
	 F00748000 SELF SERVICE 100 B.SMART • 10 DRIVERS	D	90	24	230/50	1150	5.7 A
	 F00748020 SELF SERVICE AdBlue® B.SMART • 10 DRIVERS	U	32	9	230/50	400	1.95 A

D Diesel **U** AdBlue®

PIUSI B.SMART

PRODUCT RANGE



Code	Description	Fluids	Flow rate		Absorption		
			L/min	GPM	AC V/Hz	Power W	A max.
 VERSION ac/dc	➤ F00598000 CUBE 70 B.SMART • 10 DRIVERS	D	70	18	230/50	900	4.2 A
	➤ F00598010 CUBE 90 B.SMART • 10 DRIVERS	D	90	24	230/50	900	4.9 A
	➤ F00598A0A CUBE 56 B.SMART 12V • 10 DRIVERS	D	56	15	12	300	35 A
	➤ F00598A1A CUBE 70 B.SMART 24V • 10 DRIVERS	D	70	18	24	420	25 A

PIUSI 3000 SUPREME B.SMART

D Diesel

Code	Description	Fluids	Flow rate		DC VOLT	Absorption	
			L/min	GPM		Power W	A max.
	➤ F00251H00 SUPREME-B.SMART PUMP ONLY B.O.+10 DRIV.	D	50	13	FROM 12 TO 24	200	16A/8A
	➤ F00251V00 SUPREME-B.SMART PUMP ONLY B.V.+10 DRIV	D	50	13	FROM 12 TO 24	200	16A/8A
	➤ F00251D00 SUPREME-B.SMART PUMP ONLY DRUM+10 DRIV	D	50	13	FROM 12 TO 24	200	16A/8A
	➤ F00251K00 SUPREME-B.SMART BASE BRACKET KIT+10 DRIV	D	50	13	FROM 12 TO 24	200	16A/8A
	➤ F00251D10 SUPREME-B.SMART 2" D. MOUNT KIT+10 DRIV	D	50	13	FROM 12 TO 24	200	16A/8A

D Diesel

PRODUCT RANGE

SELF SERVICE HD B.SMART

Code	Description	Fluids	Flow rate		Absorption			Gun	
			L/min	GPM	AC V/Hz	Power W	A max.		
	➤ F00749500	SELF SERVICE HD MID 80 L/MIN BSMART	D	80	21	3 X 400/230V 50HZ	750	2 A	1
	➤ F00749510	SELF SERVICE HD MID 40-110 L/MIN BSMART	D	10/110	10/29	3 X 400/230V 50HZ	750	2 A	2

Accessories

 Diesel

 F00749100	YELLOW INFRARED REMOTE CONTROL FOR DISPENSER CONFIGURATION
 F00749250	RIGID SUPPORT ROD FOR DELIVERY HOSE Ø20 (USABLE ONLY WITH DELIVERY HOSES LONGER THAN 4.7M)
 F00749200	RIGID SUPPORT ROD FOR DELIVERY HOSE Ø25 (USABLE ONLY WITH DELIVERY HOSES LONGER THAN 4.7M)
 F08945020	6 M DELIVERY HOSE Ø20 MM / 1" BSP (WITH PROVISION FOR RIGID SUPPORT ROD F00749250)
 F08945030	8 M DELIVERY HOSE Ø25 MM / 1" BSP (WITH PROVISION FOR RIGID SUPPORT ROD F00749200)
 F00749300	SUPPORT BASE
 F14390090	BREAKAWAY SAFETY COUPLING (BREAKAWAY COUPLING)

PIUSI B.SMART

ACCESSORIES



Code	Description
 ↘ F22500000 DRIVER ACCESS (x10)	
↘ F00770D20 DRIVER ACCESS (x50)	
 ↘ F15904000 USER KEY (Yellow key: 10 pcs) Emergency only	

Code	Description
 ↘ F1270800C PEDESTAL (CUBE • MCBOX)	
 ↘ R12737000 KIT WALL SUPPORT (Cube • MCBOX)	

KIT HARDWARE 1.0/2018 UPGRADE

Code	Description
 ↘ F22923000 KIT UPGRADE SELF SERVICE MC B.SMART • 10 DRIVERS	
 ↘ F22924000 KIT UPGRADE SELF SERVICE MC AdBlue® B.SMART • 10 DRIVERS	
↘ F22922000 KIT UPGRADE CUBE B.SMART • 10 DRIVERS	

TANK WATCHDOG ADD-ON

Code	Description
 ↘ F00770L00 B.SMART TANK WATCHDOG ADD-ON • 1 YEAR	
↘ F00770L20 B.SMART TANK WATCHDOG ADD-ON • ONE TIME FEE	
 ↘ F00755220 LEVEL IND. OCIO 2.0 • 230V - 50/60HZ	

FUEL ECONOMY ADD-ON

Code	Description
	↘ F00770F00 B.SMART FUEL ECONOMY ADD-ON • 1 YEAR
	↘ F00770F20 B.SMART FUEL ECONOMY ADD-ON • ONE TIME FEE
	↘ F00770K00 KIT TANK WATCHDOG + FUEL ECONOMY • 1 YEAR
	↘ F00770K20 KIT TANK WATCHDOG + FUEL ECONOMY • ONE TIME FEE
	↘ F17299Q00 B.SMART FUEL ECONOMY • 45 QR CODES

MAPLY ADD-ON

Code	Description
	↘ F00770M00 B.SMART MAPLY ADD-ON • 1 YEAR
	↘ F00770M20 B.SMART MAPLY ADD-ON • ONE TIME FEE
	↘ F00770K40 KIT TANK WATCHDOG + FEM + MAPLY • 1 YEAR
	↘ F00770K60 KIT TANK WATCHDOG+FEM+MAPLY • ONE TIME FEE

PIUSI B.SMART - ACCESSORIES



IDENTITANK

Code	Description	Fluids	Flow rate		Absorption		
			l/min	GPM	AC V/Hz	Power W	A max.
	↘ F00598300 CUBE 70 B.SMART 230V IDENTITANK	D	70	18	230/50	900 W	4.9 A
	↘ F00599800 MCBOX B.SMART 100/240V IDENTITANK-60	Any fluids	-	-	100-240V 50/60HZ	5 W	15 A
	↘ F00599810 MCBOX B.SMART 100/240V IDENTITANK-120	Any fluids	-	-	100-240V 50/60HZ	5 W	15 A

Accessories

	↘ F00790400 KIT TAG HEAVY DUTY 10 PCS IDENTITANK
	↘ F00790410 KIT TAG HEAVY DUTY 50 PCS IDENTITANK
	↘ F00790300 KIT TAG READER USB IDENTITANK

D Diesel

MASTERSITE

Code	Description
↘ F00770J00	B.SMART MASTERSITE (10TANKS) ADD-ON OTF
↘ F00770J10	B.SMART MASTERSITE (50TANKS) ADD-ON OTF

PIUSI B.SMART: A STEP FORWARD!

PIUSI B.SMART is a fuel management system created by PIUSI and available worldwide through a professional network of authorized dealers.

Contact our local partners to order your system or contact PIUSI directly for more information.



PIUSI

● **piusi.com**





PIUSI

MADE IN ITALY

piusi.com

PIUSI S.p.A. - 46029 Suzzara (Mantua) Italy
Tel. +39 0376 534561 - Fax +39 0376 536393
piusi@piusi.com

piusiusa.com

PIUSI USA, Inc. - 3901 Anglers Ave Fort Lauderdale, FL 33312
Tel. 954584 1552 • FAX 954 5841554 - SALES.USA@PIUSI.COM